


Shenzhen Boesy Technolgoy Co., Ltd Introduction & Products

Design by Boesy Company





INDEX





ABOUT US

Boesy Technology Co., Ltd is a

professional and experienced factory of video brochures,USB Shieds(USB syncstop), TWS Earbuds USB webkeys, USB drive and so on. Our factory has 1200 M² workshop and above 60 skilled workers. We have been dedicating to electronic relative products since 2006. Our business involves research, development, manufacturing and export of the above mentioned items and other novel promotional products.

We locate in Shenzhen, China. We are near Shenzhen airport and welcome your visiting!



Our clients are all over the worlds and include the following famous companies:





Our Advantages



We have above ten years experiences on the production especially on the printing and electronic combine products.



We are professional on the products design, manufacture and so on. We are keeping improve the manufacture technology to make the products better with competitive cost.



Factory direct supply, shorted lead time, fast feedback and 100% quality inspection.





Factory Overview







Our Team



Scott Cheung

Director of Boesy. Mr Scott Cheung graduated from SJTU, a famous Univercity in China. He has above 15 years trade and new products development experiences. He has open mind and happy to help clients problems. Scott Cheung had owned above 8 products patents in the past few years.

Contact:

 \checkmark

|√|

scott@usbinprint.cn; scott@cnboesy.com Mobile/WhatsApp/Wechat: +86-13684906908 Skype: scott.boesy

Zhi Ming Zeng

Factory manager of Boesy. Mr Zhi Ming Zeng has above 12 years factory manage experiences and had improved the produce technologies in the industry which were followed by our competitors. Zhi Ming Zeng put more attention to the products quality and make sure that the products from us are the best.







Sharon Mai Senior Sales Sharon.m@cnboesy.com



Rong Hui Wang Senior Designer



Xiao Lin Chen Workers manager



Yi Ying Wu Senior QC





Certificates



Most of our products have passed the CE, FCC and Rosh test and get the certificates. And we have get above 10 products patents in the past few years.





Our Products





LCD Size	LCD Pixels	Standard Capacity	Standard Battery	Finish Size
2.4"	320 x 240	128MB	300MAH	Business card ~A3
2.8″	320 x 240	128MB	300MAH	A7~A3
4.3", 4.3" IPS	480 x 272	128MB	600MAH	A6~A3
4" HD	800 x 480	128MB	600MAH	A6~A3
5" HD, 5" IPS	854 x 480	128MB	600MAH	A6~A3
7", 7" HD, 7" IPS	800 x 480 (7") 1024 x 600 (7" HD/IPS)	128MB	1500MAH	A5~A3
10.1", 10.1" IPS	1024 x 600	256MB	1500MAH	A4~A3

1. The video brochure capacity can be 128MB, 256MB, 512MB, 1GB, 2GB, 4GB, 8GB and 16GB with different cost.

2. Battery capacity can be customized also but will be limited to the product size which hold the battery.

3. Magnet control power (optional), open and play.

- 4. Video brochure size and style(soft cover, hard cover, box, with stand and so on) are customized.
- 5. Max 11 buttons are optional if the spaces are allowed. The buttons are power, stop, play/pause, rewind, forward, next, previous, volume up, volume down, picture, video 1, video 2, video 3...
- 6. More LCD size are optional and please contact our sales for the detials.



The differences of different LCD

Item	Standard LCD	HD LCD	IPS LCD
	Four angles(150 $^\circ$)	Four angles(150 $^\circ$)	Five/All angels (170°)
View angels			
Brightness	Standard	Better	Best
Resolution	Standard	Best	Best
Display effect	Standard	Better	Best



10.1", 10.1" IPS

- 1024*600 pixel TFT LCD video brochure.
- Screen size: 222 X 124 MM.
- Build-in 1500MAH lithium-ion battery and up to 1.5 hours play time after full charge.
- Memory: 256MB. Optional: 512MB, 1GB, 2GB, 4GB, 8GB.
- Video format: MP4, AVI, RMVB, MKV, WMV and other normal formats.
- Speaker : $8\Omega / 2W$.
- Micro USB cable accessory.





7", 7" HD , 7" IPS

- \bullet 1024*600 pixel (7" HD/IPS) or 800x480 pixel (7") TFT LCD video brochure.
- Screen size:152 X 84 MM.
- Build-in 1500MAH lithium-ion battery and up to 1.5 hours play time after full charge.
- Memory: 128MB. Optional: 256MB, 512MB, 1GB, 2GB, 4GB, 8GB.
- Video format: MP4, AVI, RMVB, MKV, WMV and other normal formats. • Speaker : $8\Omega/2W$.
- Micro USB cable accessory.



5" HD or 5" IPS

- •854*480 pixel TFT LCD video brochure.
- Screen size: 109 X 62 MM.
- Build-in 600MAH lithium-ion battery and up to 1.5 hours play time after full charge.
- Memory: 128MB. Optional: 256MB, 512MB, 1GB, 2GB, 4GB, 8GB.
- Video format: MP4, AVI, RMVB, MKV, WMV and other normal formats.
- Speaker : $8\Omega / 2W$.
- Micro USB cable accessory.





4" HD

- 800*480 pixel TFT LCD video brochure.
- Screen size:85.5 X 51 MM.
- Build-in 600MAH lithium-ion battery and up to 1.5 hours play time after full charge.
- Memory: 128MB. Optional: 256MB, 512MB, 1GB, 2GB, 4GB, 8GB.
- Video format: MP4, AVI, RMVB, MKV, WMV and other normal formats.
- Speaker : $8\Omega/2W$.
- Micro USB cable accessory.



4.3", 4.3" IPS

- •480*272 pixel TFT LCD video brochure.
- Screen size: 94 X 53 MM.
- Build-in 600MAH lithium-ion battery and up to 1.5 hours play time after full charge.
- Memory: 128MB. Optional: 256MB, 512MB, 1GB, 2GB, 4GB, 8GB.
- Video format: MP4, AVI, RMVB, MKV, WMV.
- Speaker : 8Ω /2W.
- Micro USB cable accessory.





3.5"

- •480*272 pixel TFT LCD video brochure.
- Screen size:69 X 51 MM.
- Build-in 600MAH lithium-ion battery and up to 1.5 hours play time after full charge.
- Memory: 128MB. Optional: 256MB, 512MB, 1GB, 2GB, 4GB, 8GB.

Video format: MP4, AVI, RMVB, MKV, WMV. • Speaker : $8\Omega/2W$.

• Micro USB cable accessory.



2.8"

- 320*240 pixel TFT LCD video brochure.
- Screen size: 56.5 X 42 MM.
- Build-in 300MAH lithium-ion battery and up to 1.5 hours play time after full charge.
- Memory: 128MB. Optional: 256MB, 512MB, 1GB, 2GB, 4GB, 8GB.
- Video format: AVI, WMV.
- Speaker : $8\Omega / 1W$.
- Micro USB cable accessory.





2.4"

- 320*240 pixel TFT LCD video brochure.
- Screen size:48 X 36 MM.
- Build-in 300MAH lithium-ion battery and up to 1.5 hours play time after full charge.
- Memory: 128MB. Optional: 256MB, 512MB, 1GB, 2GB, 4GB, 8GB.
- Video format: AVI, WMV.
- Speaker : 8Ω /1W.
- Micro USB cable accessory.





USB Shields/USB Syncstop

UCD01: Standard USB Shield

- Standard USB shield.
- Support most of mobile phones in the market.
- Standard input/output: 5V/1A (the final power is up to the mobile and adapter).
- Protect your mobile datas when charge from outside.
- Dimension:4.2x2.6x1.1CM



UCD02-S: Standard USB Shield with metal Shell

- This is standard USB shield with metal shells, the input/out can be up to 5V/1A. The shell us high level looking aluminum alloy. And the spot colors logo printing or laser engraved are optional.
- Dimension: 4.3 x 2.1 x 1.0 CM





USB Shields/USB Syncstop

UCD02-P: Fast charger USB shield with metal shell

- This is USB shield that compliant with fast charge, the input/out can be up to 12V/3A. The shell us high level looking aluminum alloy. And the spot colors logo printing or laser engraved are optional.
- Dimension: 4.3 x 2.1 x 1.0 CM





USB Shields



USB Shield Packings

Polybag packing



Small white box



Backing card packing



Transparent film box



Blister card packing



Cardboard box



USB Webkeys

General Specs:

- •USB2.0 standard, compliant with USB3.0,USB1.1.
- •Auto run url when plug to USB of PC.
- •Work in winodws98~win10, MAC OS 10.4.5 or newer versions.
- Up to 195 pieces characters for one url.
- Unique url, serials urls or random urls are optionals.
- Every device is guaranteed to be virus free.

What is USB webkey?

USB webkeys (USB web keys) are a great way of getting people to remember your logo, yet it saves the trouble of remembering a lengthy URL. Plug the Webkey into a USB port and your pre-programmed website automatically launches -- just like magic! The USB Web key is a low cost alternative to USB flash memory devices, and an effective way of promoting your company, new product launch, training material, or recruitment campaign. It's available in various shapes. The USB Web key is pre-programmed with theurl that you provide.





USB Webkeys

Smart paper webkey. Use smart webkey chips in transparent plastic, and ultrasonic machining to Model: 350gsm coated paper. This is for small orders now as mass productions are not efficient yet. This model is on hold now according to the design problem. Layering paper webkey. Use short webkey chips in plastic, and assemble to 350gsm coated Model: paper. This model can be made as webkeys or USB drives include small capacity of 8MB and **PWK2** 16MB. Paper Insert paper webkey. Use our standard webkey chips in plastic, and assemble to double Model: Webkey 300gsm coated paper. This model was popular in the past several years but as the cost is **PWK3** higher than above two versions, so we suggest buy PWK1 and PWK2 models instead. **Models** Push-out paper webkey. Use our standard webkey chips in plastic, and ultrasonic machining Model: to 350gsm coated paper. The plastic shells can be spot colors or full colors printing also. The **PWK4** advantage of this model is that the chips can be push back to the paper. Model: Clip-on paper webkey. Use our standard webkey chips in transparent plastic clip, clip on and stick to the 350gsm coated paper. Strongly suggest! PWK5



WORDON WEEKENRE SETECLE MILH THEEKE

avrib 820 voor voor 100 voor 1

MUDEO HOMI

(() î

Clip-on Paper Webkey (PWK5)

· Clip-on paper webkey. Use our standard webkey chips in transparent plastic clip, clip on and stick to the 350gsm coated paper.

The chippest paper webkeys, it's recommended!



Concernation and a concernation

Your results may vary.

BOILDERS CONCARENITORIUS CONCO

Layering Paper Webkey (Model#: PWK2)


- · Layering paper webkey. Use short webkey chips in plastic, and assemble to 350gsm coated paper. This model can be made as webkeys or USB drives include small capacity of 8MB and 16MB. It's suitable for paper USB drives also which the capacity above 2GB.
- Strongly suggest!

CORTICAIRE tor Asthmo

For patients 12 years and ton a omnitto atomi rabio well controlled on a long erm asthma medicine a theyer except around ADRON

> ticali publication Intratation Nerosci

About CORTICAIRE and Asthm



Wing COR




SHOSHOS



Insert Paper Webkey (Model#: PWK3)

• Insert paper webkey. Use our standard webkey chips in plastic, and insert to double 300gsm (or double 250gsm paper if the flat paper size bigger than A5) coated paper. This model was popular in the past several years but as the cost is higher on the paper and shipping cost, so we suggest Model PWK2 or PWK5 instead.









Push-out Paper Webkey (Model#: PWK4)

• The webkey chips in plastic, and then use ultrasonic machining to 350gsm coated paper. The plastic shells can be spot colors or full colors printing also. The advantage of this model is that the webkey chips can be put back to the paper after use.

Push-out Paper Webkeys!

Webkey chip in the plastic shell ultrasonic with the paper. Push the webkey tip out to use. And put it back again after use.







WHAT WE DO

BRAND MANAGEMEN

PARTINE PROVIDENCE AND STORES INCOMPANY STORES INCOMPANY STORES INCOMPANY STORES INCOMPANY INTONNO INCOMPANY INCOMPANY INTONNO INCOMPANY INTONNO I

PROFORMA.COM/STERLINGMEDIA

NEW PROFOTMA ONE SOURCE, INFINITE RESOURCES.

- Use smart webkey chips in transparent plastic, and ultrasonic machining to 350gsm coated paper.
- Smart looking. On hold and stop produce until has information







Standard USB Webkeys



Plastic USB Webkeys

 In standard plastic shells, full colors printing or spot colors printing are optional. More models check our web <u>www.cnboesy.com</u> or consult our sales: <u>sales@cnboesy.com</u>

PVC Card USB Webkeys

• Push-out PVC card USB webkeys, double sides full colors printing. The Push-out chip is altrosonic machining to PVC card and push out when using.



Super slim PVC webkeys.



Paper USB Drives

Key features of gportal:

2417 occess only Register information Request appointments · Update records • Send messages

• Pay bills online

Coll

Get closer to your patients while uer closer to your patients while improving practice efficiencies

Portal

For more information about georal pleament phone: 888-517.8801 Email: soletieament phone: 898-517.891

10.011.00U1 cmail: solesteamed.com

improving practice enumerations introducing GPOrtCol Now with Online Bill Payl

Layering Paper USB Drive (Model#: PUD1)

Capacity from 2GB~64GB

350gsm coated paper.Matt or glossy lamination optional.

Double sides CMYK offset printing.

• Preload files and lock are optional.





To learn more about gPortal: PC: Internet Explorer installed Mac: Safari installed

ake sure your computer is




Paper USB Drives

Push-out Paper USB Drive (Model#: PUD2)

- Capacity from 32MB~64GB
- 350gsm coated paper. Matt or glossy lamination is optional.
- Double sides CMYK offset printing.
- Preload files and lock are optional.
- •The USB chip can be put back to the shell after using.

USB Drive Push-out chips








Paper USB Drives

Insert Paper USB Drive (Model#: PUD3)

- Capacity from 32MB~64GB.
- Double 300gsm (or double 250gsm if the paper flat size bigger than A5 size) coated paper.
- Printing: CMYK offset printing double sides.
- Preload files and lock are optional.





Gray Cardboard USB Drive

- · Gray cardbod materials.
- Capacity from 8GB to 64GB.
- Printing: spot colors logos printing on two sides.
- Unit size: 7.2 x 3CM.



TWS Bluetooth Earbuds

Coming soon!



USB Drives

Standard USB Drive

- Capacity from 32MB~64GB
- The materials are metal, plastic, crystal, acrylic and so on.

•We can produce most models in the market and please contact us for more products.











Customize PVC USB Drives

- Capacity from 1GB~64GB.
- Customize PVC in different shapes.
- The MOQ is 200pcs.



2-IN-1 (Webkey+Drive)

8MB or 16MB small capacity with webkey function.

Specification:

- 1. This is Small capacity USB drive with webkey function. Auto-run URL when plug to USB in PC.
- 2. Compliant with windows and MAC.
- 3. 8MB or 16MB capacity which can be loaded with files such as PDF, Doc, excel, JPG, MP3, MP4, EXE and so on. The drive will be locked(read only so can't be delete or rewrite the files) after load the files in factory.
- 4. MOQ 1000pcs.
- 5. Low cost solution for big promotion projects.

Layering Paper style

Gray cardboard style

Plastic card style









Heart Rate Brochure

Customize heart rate brochure/book

Specification:

- 1. 132 * 64 pixel LCD display, Heart rate meter in print.
- 2. Screen size: 61 x 20 MM.
- 3. Customized designs are welcomed, die cut template will be provided for customer to create their artwork.
- 4. Built in Cell battery. 6~8 months life time.
- 5. Put two thumb fingers on the gold circle contactor and it will work automatic. And power off when move out the fingers.
- 6. With buzzer indicate the heart rate when testing.Compliant with windows and MAC.
- 7. Suitable for Pharma companies, Training Institution, Event Invitations, Corporate Brochures and so on.



Click to play:







Thank You!

Shenzhen Boesy Technology Co., Ltd

Add: West 19F, C6 Building, Hengfeng Industry city, Zhoushi Road, Bao'an, Shenzhen, China Tel: +86-755-29239218 Email: sales@usbinprint.cn; sales@cnboesy.com Mobile/Whatsapp/Wechat: +86 13684906908 Skype: scott.boesy Webs: www.cnboesy.com; www.webkeyfactory.com

Keep in touch, more new products are coming!