




Clip-on Paper USB Webkeys

Clip-on chips appearance





USB Tab Design Template



The tear-off USB tab minimum paper size:
15x13 MM

Note:
Put this template to your artwork directly to ensure
the die cutting size and space are right.

Examples:




A5 paper size design example

Notes to Designers

- All Graphic files should be at least **150 DPI**.
- All Graphic files should be created using **CMYK** color mode.
Provide PMS colors whenever possible to ensure best match.
- It is best to **flatten all images** and **outline all text** to ensure that nothing is lost/changed.

Brochure Design

- Your design can fill the entire surface of the brochure within **the black cut line**.
Everything outside of the cut line will be trimmed.
- Keep **important text or details** within the **safe zone**.
The blue dotted lines (3.0 MM inside the cut line).
- You may extend background graphics to the **bleed zone**.
The red dotted lines (3.0 MM outside of the cut line).
- Be mindful of any information near **USB tab gutter**.
The green lines (3.0 MM outside of the USB Tab).
(These lines will be used to punch-out the USB tab - They will not be printed on your final design).



USB Tab Design

- The tear-off USB tab can be any size or shape.
Should be at least 20 x 15 MM
- The tear-off USB tab can be placed anywhere.
Move accordingly to fit your artwork best.
- The USB tab gutter (**green lines**) **must be at least 0.3MM** inside the **safe zone**.
the blue dotted lines.
- Keep important texts/contents at least 0.3MM distance to gutter borders.
Orange dotted lines to green lines.
- Make sure the position of the USB tab on the Outside/front, reflects the position of the tab on the Inside/back.

