


FIT/Push-out Paper USB Webkeys

Appearance



FIT/Push-out Chips Template



— Red line: diecut line/hole line

— Blue line: Plastic frame line

- - - Green dotted line: safe line, keep your important contents out of this line.

Note:

Put this FIT chips template to your artwork directly to ensure the die cutting size and space are right.

A5 paper size design example

Notes to Designers


- All Graphic files should be at least **150 DPI**.
- All Graphic files should be created using **CMYK** color mode.
Provide PMS colors whenever possible to ensure best match.
- It is best to **flatten all images** and **outline all text** to ensure that nothing is lost/changed.

Brochure Design

- Your design can fill the entire surface of the brochure within **the black cut line**.
Everything outside of the cut line will be trimmed.
- Keep **important text or details** within the **safe zone**.
The blue dotted lines (3.0 MM inside the cut line).
- You may extend background graphics to the **bleed zone**.
The red dotted lines (3.0 MM outside of the cut line).
- Be mindful of any information near **USB tab gutter**.
The green dotted lines (3.0 MM outside of the USB Tab).
(These lines will be used to punch-out the USB tab - They will not be printed on your final design).


Fit/Push-out Chips Design

- The Fit chips can be placed anywhere.
Move accordingly to fit your artwork best.
- The **Fit chips safe line (green dotted lines) must be at least 0.3MM** inside the **paper safe zone**.
the blue dotted lines.
- Make sure the position of the FIT chips on the Outside/front, reflects the position of the chips on the Inside/back.



www.cnboesy.com
www.webkeyfactory.com

www.cnboesy.com
www.webkeyfactory.com



www.cnboesy.com
www.webkeyfactory.com