



## Insert Paper USB Drives

### Insert USB chips appearance





### USB Drive Tab Design Template




 The tear-off USB tab minimum paper size:  
32 x 24 MM

Note:  
You can put this tab template to your artwork directly to ensure the die cut size and space are right.

### Examples:



 Cut-out gutter:  
0.3MM at least.

# A5 paper size design example

## Notes to Designers

- All Graphic files should be at least **150 DPI**.
- All Graphic files should be created using **CMYK** color mode.  
Provide PMS colors whenever possible to ensure best match.
- It is best to **flatten all images** and **outline all text** to ensure that nothing is lost/changed.

## Brochure Design

- Your design can fill the entire surface of the brochure within **the black cut line**.  
*Everything outside of the cut line will be trimmed.*
- Keep **important text or details** within the **safe zone**.  
*The blue dotted line (3.0 MM inside the cut line).*
- You may extend background graphics to the **bleed zone**.  
*The red dotted line (3.0 MM outside of the cut line).*
- Be mindful of any information near **USB tab gutter**.  
*The green lines (3.0 MM outside of the USB Tab).*  
*(These lines will be used to punch-out the USB tab - They will not be printed on your final design).*

## USB Drive Tab Design

- The tear-off USB tab can be any size or shape.  
*Should be at least 30 x 18 MM*
- The tear-off USB tab can be placed anywhere.  
*Move accordingly to fit your artwork best.*
- The USB tab gutter (**green lines**) **must be at least 0.3MM** inside the **safe zone**.  
*the blue dotted line.*
- Keep important texts/contents at least 0.3MM distance to gutter borders.  
*Orange dotted lines to green lines.*
- Make sure the position of the USB tab on the Outside/front, reflects the position of the tab on the Inside/back.

