


Insert Paper USB Drives (Capacity: 32MB~64GB)

Appearance




USB Drive Tab Design Template



 The tear-off USB tab minimum paper size:
32 x 24 MM

Note:
You can put this tab template to your artwork directly to ensure the die cut size and space are right.

Examples:



A5 paper size design example

Notes to Designers


- All Graphic files should be at least **150 DPI**.
- All Graphic files should be created using **CMYK** color mode.
Provide PMS colors whenever possible to ensure best match.
- It is best to **flatten all images** and **outline all text** to ensure that nothing is lost/changed.

Brochure Design

- Your design can fill the entire surface of the brochure within **the black cut line**.
Everything outside of the cut line will be trimmed.
- Keep **important text or details** within the **safe zone**.
The blue dotted line (3.0 MM inside the cut line).
- You may extend background graphics to the **bleed zone**.
The red dotted line (3.0 MM outside of the cut line).
- Be mindful of any information near **USB tab gutter**.
The green lines (3.0 MM outside of the USB Tab).
(These lines will be used to punch-out the USB tab - They will not be printed on your final design).

USB Drive Tab Design

- The tear-off USB tab can be any size or shape.
Should be at least 30 x 18 MM
- The tear-off USB tab can be placed anywhere.
Move accordingly to fit your artwork best.
- The USB tab gutter (**green lines**) **must be at least 0.3MM** inside the **safe zone**.
the blue dotted line.
- Keep important texts/contents at least 0.3MM distance to gutter borders.
Orange dotted lines to green lines.
- Make sure the position of the USB tab on the Outside/front, reflects the position of the tab on the Inside/back.



www.cnboesy.com
www.webkeyfactory.com

www.cnboesy.com
www.webkeyfactory.com

www.cnboesy.com
www.webkeyfactory.com

